

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|---------------------|
| L1 | 5 | ((("5577249") or ("6691109") or ("6633817") or ("20040059721") or ("6714874")).PN. | US-PGPUB; USPAT | OR | OFF | 2009/07/15 18:13 |
| L2 | 5 | L1 and (computer or desktop or lcd) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L3 | 2 | L1 and (media or medium) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L4 | 2 | L1 and (network) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L5 | 2 | "5577249".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L6 | 10847 | sequence with (first and second) WITH group | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L7 | 373 | (divid\$10) with sequence with (first and second) WITH group | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L8 | 34 | (divid\$10) with sequence with (first and second) WITH group and (target with sequence) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| L9 | 30 | (divid\$10) with sequence with (first and second) WITH group and (target NEAR5 sequence) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L10 | 5 | (divid\$10) with sequence with (first and second) WITH group and (divid \$10 with target NEAR5 sequence) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L11 | 0 | (divid\$10) with sequence with (first and second) WITH group and (divid \$10 with database NEAR5 sequence) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L12 | 144 | (divid\$10) with sequence with (first and second) WITH group and (divid \$10 NEAR5 sequence with group) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L13 | 1 | (divid\$10 NEAR5 database NEAR sequence with group) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L14 | 2 | "6691109".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L15 | 2 | "20020194173".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L16 | 2 | "5577249".pn. and tuple | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L17 | 2 | "6304868".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L18 | 12 | ((partition\$10 or divid \$10) NEAR5 database NEAR (string or sequence) with (set or sub\$2set or cluster\$5 or group\$5)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| L19 | 1 | ((partition\$10 or divid\$10) NEAR5 database NEAR (string or sequence) with (set or sub\$2set or cluster\$5 or group\$5)) and 702/20.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L20 | 7 | ((partition\$10 or divid\$10) NEAR5 database NEAR (string or sequence) with (set or sub\$2set or cluster\$5 or group\$5)) and 707/1-6,10.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L21 | 84 | (divid\$10 or partition\$10 or split\$10) with (string or sequence) with (first and second) WITH (cluster\$10 or group\$10 or set or sub\$2set) and ((database or target) NEAR5 sequence) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L22 | 13 | ((partition\$10 or divid\$10 or split\$10) NEAR5 database NEAR (string or sequence) with (set or sub\$2set or cluster\$5 or group\$5)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L23 | 295 | ((partition\$10 or divid\$10 or split\$10 or break\$10) NEAR5 (sequence) with ((first and second) or different or another or other) NEAR4 (set or sub\$2set or cluster\$5 or group\$5)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L24 | 154 | ((partition\$10 or divid\$10 or split\$10 or break\$10) NEAR5 (sequence) near5 ((first and second) or different or another or other) NEAR4 (set or sub\$2set or cluster\$5 or group\$5)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |

| | | | | | | |
|-----|-------|--|---|-----|-----|---------------------|
| L25 | 16 | ((partition\$10 or divid\$10 or split\$10 or break\$10 or distribut\$10) NEAR5 (sequence) near5 ((first and second) or different or another or other) NEAR4 (set or sub\$2set or cluster\$5 or group\$5)) and ("702"/\$.ccls. or "707"/\$.ccls.) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L26 | 206 | ((partition\$10 or divid\$10 or split\$10 or break\$10 or distribut\$10) NEAR5 (sequence) near5 ((first and second) or different or another or other) NEAR4 (set or sub\$2set or cluster\$5 or group\$5)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L27 | 242 | (sequenc\$10 NEAR5 search\$10) and ((divid \$10 or break\$10 or split \$10 or separat\$10 or partition\$10) NEAR3 (string or sequence) NEAR3 (group or cluster or set or seb\$2set or sub \$2group)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L28 | 77 | (sequenc\$10 NEAR5 search\$10) and ((divid \$10 or break\$10 or split \$10 or separat\$10 or partition\$10) NEAR3 (string or sequence) NEAR3 (group or cluster or set or seb\$2set or sub \$2group)) and ("707"/\$.ccls. or "702"/\$.ccls.) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L29 | 3 | ((("6633817") or ("5577249") or ("6691109")).PN. | US-PGPUB; USPAT | OR | OFF | 2009/07/15 18:13 |
| L30 | 2 | L29 and ((cluster or group \$10 or set) with (sub \$2string or sub\$2group or partition)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L31 | 10128 | (multiple with sequence with alignment) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |

| | | | | | | |
|-----|-------|--|---|-----|-----|---------------------|
| L32 | 8278 | (multiple with sequence with alignment) and (sequence NEAR5 (group or set or sub\$2set or cluster)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L33 | 6529 | (multiple with sequence with alignment) and (sequence NEAR5 (group or set or sub\$2set or cluster)) and ((partition \$10 or divid\$10 or portion or break\$10) NEAR5 sequence) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L34 | 6559 | (multiple with sequence with (exact or inexact or alignment)) and (sequence NEAR5 (group or set or sub\$2set or cluster)) and ((partition \$10 or divid\$10 or portion or break\$10) NEAR5 sequence) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L35 | 1 | ("20050067848").PN. | US-PGPUB; USPAT | OR | OFF | 2009/07/15 18:13 |
| L36 | 26 | (distribution or divid\$10) NEAR3 sequence with ("same") with portion | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L37 | 18526 | (divid\$10) NEAR3 sequence | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L38 | 7418 | ((DNA or protein or acid or nuc\$13) sequence) AND (divid\$10) NEAR3 sequence | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L39 | 55 | ((DNA or protein or acid or nuc\$13) sequence) AND ((partition\$10 or divid\$10 or split\$10 or break\$10 or distribut\$10) NEAR5 (sequence) near5 ((first and second) or different or another or other) NEAR4 (set or sub \$2set or cluster\$5 or group\$5)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |

| | | | | | | |
|-----|------|---|---|-----|----|---------------------|
| L40 | 24 | ((DNA or protein or acid or nuc\$13) sequence) AND ((partition\$10 or divid\$10 or split\$10 or break\$10 or distribut\$10) NEAR5 (sequence) near5 ((first and second) or different or another or other) NEAR4 (set or sub \$2set or cluster\$5 or group\$5)) and parallel | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L41 | 316 | (distribution search\$10) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L42 | 1126 | (distribut\$10 search\$10) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L43 | 0 | (distribut\$10 search\$10) and (sub\$2query NEAR3 search\$10 with different) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L44 | 0 | (distribut\$10 search\$10) and ((partiton\$10 or split \$10 or divid\$10 or break \$10 or distribut\$10) with (sequence or query or string) NEAR\$10 different) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L45 | 393 | (distribut\$10 search\$10) and ((partiton\$10 or split \$10 or divid\$10 or break \$10 or distribut\$10) with (sequence or query or string)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L46 | 203 | (distribut\$10 search\$10) and ((partiton\$10 or split \$10 or divid\$10 or break \$10 or distribut\$10) NEAR3 (sequence or query or string)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L47 | 49 | (distribut\$10 search\$10) and ((partiton\$10 or split \$10 or divid\$10 or break \$10 or distribut\$10) NEAR3 (sequence or string)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| L48 | 4229 | ("n+1" or "s+1" or "p+1") with (sequence or string) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L49 | 254 | ((DNA or protein or acid or nucl\$13) sequence) and ("n+1" or "s+1" or "p+1") with (sequence or string) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L50 | 22 | ((DNA or protein or acid or nucl\$13) sequence) and ("n+1" or "s+1" or "p+1") with (sequence or string)with (partition\$10 or divid\$10 or split\$10 or break\$10 or portion or distribut\$10) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L51 | 8 | ("20030125988" "20030135124" "5544281" "5724262"). PN. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L52 | 2 | "5832496".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L53 | 0 | (sequence search) and (sub\$2sequence with "into groups" OR "into different groups") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L54 | 0 | (sequence WITH search) and (sub\$2sequence with "into groups" OR "into different groups") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L55 | 0 | (sequence WITH search) and (sub\$2sequence with ("into groups" OR "into different groups")) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L56 | 0 | (sequence WITH search) and (sub\$2sequence with (into NEAR2 groups) OR (into NEAR2 different NEAR2 groups))) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| L57 | 0 | "5297281".pn. and (sequence into groups) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L58 | 2 | "5297281".pn. and (sequence NEAR2 groups) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L59 | 502 | (divid\$10 or break\$10 or split\$10 or separat\$10 or partition\$10) NEAR3 (sequence NEAR2 groups) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L60 | 4 | (divid\$10 or break\$10 or split\$10 or separat\$10 or partition\$10) NEAR3 ((target or reference or original) NEAR2 sequence NEAR2 groups) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L61 | 3 | (divid\$10 or break\$10 or split\$10 or separat\$10 or partition\$10) NEAR3 ((target or reference or original) NEAR2 (DNA) NEAR2 groups) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L62 | 805 | (sequence with search \$10).ti. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L63 | 50 | (sequence with search \$10).ti. and ((partition \$10 or divid\$10 or split \$10 or break\$10) NEAR5 (sequence or string or sub \$2sequence or sub \$2string)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L64 | 14 | (sequence with search \$10).ti. and ((partition \$10 or divid\$10 or split \$10 or break\$10) NEAR5 (sequence or string or sub \$2sequence or sub \$2string) with (set or sub \$2set or cluster\$5 or group\$5)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |

| | | | | | | |
|-----|-------|--|---|-----|-----|---------------------|
| L65 | 28791 | (sequence with search \$10) and (exclusive OR operation) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L66 | 192 | (sequence with search \$10) and ("exclusive OR operation") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L67 | 906 | (sequence with search \$10) and ("exclusive OR operation" or "XOR") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L68 | 139 | (sequence with search \$10) and ("exclusive OR operation" or "XOR") same (mismatch or match or exact) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L69 | 14 | ((DNA or protein or acid or nuc\$13) sequence) and (sequence with search\$10) and ("exclusive OR operation" or "XOR") same (mismatch or match or exact) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L70 | 10 | ((("20040059721") or ("6691109") or ("6633817") or ("20030104408") or ("20020194173") or ("20020034791") or ("6304868") or ("20010010903") or ("6047109") or ("9105748") or ("5577249")).PN. | US-PGPUB; USPAT | OR | OFF | 2009/07/15 18:13 |
| L71 | 2 | L70 and (index\$10 same table) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L72 | 4 | ((DNA or protein or acid or nuc\$13) sequence) and (sequence with search\$10) and (concurrent\$6 same table same (first and second)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| L73 | 23 | (sequence with search \$10) and (concurrent\$6 with table same (first and second)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L74 | 720 | (sequence with search \$10) and ("same" or exact) NEAR2 (query or sub\$2sequence or sequence or string or sub \$2string or record) with table | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L75 | 159 | (sequence with search \$10) and ("same" or exact) NEAR2 (query or sub\$2sequence or sequence or string or sub \$2string or record) with table with (identif\$10 or mark) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L76 | 2 | (sequence with search \$10) and ("same" or exact) NEAR2 (query or sub\$2sequence or sequence or string or sub \$2string or record) with (both or two or other or another) NEAR2 table with (identif\$10 or mark) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L77 | 0 | ("same" or exact) NEAR2 (query or sub\$2sequence or sequence or string or sub\$2string or record) NEAR5 "in" NEAR2 (both or two or other or another) NEAR2 table | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L78 | 15 | ("same" or exact) NEAR2 (query or sub\$2sequence or sequence or string or sub\$2string or record) NEAR5 (both or two or other or another) table | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L79 | 5 | L70 and (binary) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L80 | 0 | L70 and (binary) with encod\$10 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |

| | | | | | | |
|-----|----|---|---|-----|----|---------------------|
| L81 | 5 | L70 and (binary) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L82 | 5 | L70 and (scramb\$10 or cod\$10) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L83 | 0 | L70 and (prefixes and suffixes and hash\$10) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L84 | 17 | (sequence search\$10) and (prefixes and suffixes and hash\$10) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L85 | 7 | (sequence search\$10) and (sequence with (prefixes and suffixes)) and hash\$10 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L86 | 3 | ((partition\$10 or divid \$10) NEAR5 database NEAR (string or sequence) with (set or sub\$2set or cluster\$5 or group\$5)) and 702/19,20. ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L87 | 11 | (divid\$10 or partition\$10 or split\$10) with (string or sequence) with (first and second) WITH (cluster\$10 or group\$10 or set or sub\$2set) and ((database or target) NEAR5 sequence) and 702/19,20.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:13 |
| L88 | 9 | (polypeptide sequence data) same query | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/07/15 18:25 |

7/ 15/ 2009 6:26:26 PM

C:\Documents and Settings\yzhao\My Documents\EAST\Workspaces\10585842.wsp